




Osyrol®

CAS No.: 41890-92-0 EINECS No.: 255-574-7

# Osyrol®



7-Methoxy-3,7-dimethyloctan-2-ol

 $C_{11}H_{24}O_2 = 188\text{g/mol}$ **Olfactory Description**

Sandalwood, with a flowery, woody note, very reminiscent of natural sandalwood oil.

**Applications**

Recommended for fragrances in which a high quality sandalwood character is required. Blends well with floral compounds such as rose and muguet and is most effective with chypre and woody notes. Has excellent fixative properties and contributes to the overall blending and perfecting of the composition. Has great potential in luxury fragrances, including those for cosmetics and toiletries and is also of value in perfumes for soaps and detergents. Osyrol® has been evaluated in a variety of tests for compatibility, stability of odour and, in the case of aerosols, also for freedom from corrosive effects and clogging of valves. These tests have shown that at the concentrations in which it is normally used, Osyrol® is effective for: concentrates, fine fragrances, perfumed and aerosol sprays, antiperspirants and deodorants (lotions and aerosols), cosmetic creams and emulsified lotions, talcum powders, soaps, shampoos, bubble baths, detergents and fabric softeners.

**Product Specification**

GC analysis	Osyrol® 98% minimum (two isomers)
Visual description	Clear, almost colourless liquid
Density at 20°C (gm/ml)	0.899 - 0.902
Refractive index (NaD 20°C)	1.446 - 1.448
Flash point (closed cup)	>99°C/210°F
Commodity code	32178
HS number	290949
TSCA number	TSCA Registered
Country of origin	UK

---

### **Substantivity**

72 hours

### **Safety and Toxicology**

For further information please see the relevant Safety Data Sheet at [www.innospecinc.com](http://www.innospecinc.com)

### **Packaging and Storage**

Standard pack size – 185kg  
24 months (in unopened containers)



For further information, please email your region:

[america-ac@innospecinc.com](mailto:america-ac@innospecinc.com), [aspac-ac@innospecinc.com](mailto:aspac-ac@innospecinc.com), [emea-ac@innospecinc.com](mailto:emea-ac@innospecinc.com)

[www.innospecinc.com](http://www.innospecinc.com)

Issue No. 3/2008

The facts stated and the recommendations made are based on our own research and/or the research of others, and are believed to be accurate. No guarantee of their accuracy is made, however, and unless otherwise expressly provided by law or in written contract, the materials are sold without warranties, expressed or implied, in particular without guarantee as to suitability for particular purpose. Innospec assumes no responsibility for injury or damage to users or third parties. Recipient agrees to assume all risk and liability whether used singly or in combination with other materials.